## NOTES:

- 1. SUBSTRATE: ZERODUR
- 2. S2 TO BE PARALLEL TO S1 TO WITHIN <30 ARCSEC
- 3. COATING (APPLY ACROSS COATING APERTURE)
  \$1: PROTECTED GOLD
  R(AVG) > 96% FROM 700-2000nm @ 0° AOI
  R(AVG) > 96% FROM 2000-10000nm @ 0° AOI


S2: NONE




- 5. CLEAR APERTURE AND COATING APERTURE ARE CENTERED ON SURFACE
- 6. SURFACE QUALITY SPECIFICATIONS APPLY ACROSS CLEAR APERTURE

 $\sqrt{2}$ . ARROW ON EDGE POINTS TOWARDS 1/10TH WAVE SURFACE S1

8. ROHS: COMPLIANT





## FOR INFORMATION ONLY: DO NOT MANUFACTURE PARTS TO THIS DRAWING

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

	\$1	\$2				
SHAPE	PLANO	PLANO			<b>Edmund Op</b>	tice
SURFACE QUALITY	20-10	COMMERCIAL POLISH				)(IC5°
SURFACE FLATNESS	0.10 WAVE	N/A			MIRROR 1/10 WV ZDUR GOLD	10 DIA
CLEAR APERTURE	Ø9.00	N/A	THIRD ANGLE PROJECTION	TITLE	WIIKKOK 17 10 W V ZBOK GOLD	, TO DIA
COATING APERTURE	Ø9.60	N/A	<u> </u>			- OUEET
BEVEL	PROTECTIVE AS NEEDED	PROTECTIVE AS NEEDED	ALL DIMS IN mm	DWG NO	39860	SHEET 1 OF 1