



NOTES:




- 1. SUBSTRATE: Float Glass
- 2. COATING (APPLY ACROSS CLEAR APERTURE)
S1: Protected Aluminum (400-700nm)
R(AVG) >85% @ 400 - 700nm @ 45°

S2: NONE
- 3. SEAMED EDGES
- 4. RoHS COMPLIANT



**FOR INFORMATION ONLY:
DO NOT MANUFACTURE
PARTS TO THIS DRAWING**

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE
DIMENSIONS ARE FOR REFERENCE ONLY

| | | | | | | |
|------------------|---------------------|---------------------|------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|--------|------------------------|
| | S1 | S2 |  Edmund Optics® | | | |
| SHAPE | PLANO | PLANO |  | | | |
| SURFACE QUALITY | 80-50 | N/A | | | | |
| SURFACE FLATNESS | 4 - 6λ | N/A | THIRD ANGLE PROJECTION |  | TITLE | 38 x 38mm, 4-6λ Mirror |
| CLEAR APERTURE | Ø 34.2 x 34.2 | N/A | | | DWG NO | 46652 |
| BEVEL | PROTECTED AS NEEDED | PROTECTED AS NEEDED | | | | SHEET 1 OF 1 |
| | | | ALL DIMS IN | mm | | |