

## NOTES:


- 1. SUBSTRATE:
  ZINC SELENIDE (ZnSe)
- 2. SURFACE S2 TO BE PARALLEL WITH \$1 TO <1 arcmin
- 3. COATING (APPLY ACROSS CLEAR APERTURE) \$1 & \$2: RAVG ≤5.0% @ 8 - 12µm



5. Rohs Compliant







## FOR INFORMATION ONLY: DO NOT MANUFACTURE PARTS TO THIS DRAWING

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

	\$1	\$2	
SHAPE	PLANO	PLANO	
SURFACE QUALITY	60-40	60-40	
SURFACE FLATNESS	λ/10 @ 10.6μm	λ/10 @ 10.6μm	
BEVEL	PROTECTIVE AS NEEDED	PROTECTIVE AS NEEDED	

				Edmund Optic	S®
	THIRD ANGLE _ PROJECTION	$\phi \Box$	TITLE	Ø40mm x 4mm THICKNESS, 8 - 12µm CC ZnSe WINDOW	DATED,
)	ALL DIMS IN	mm	DWG NO	68503	SHEET 1 OF 1