## NOTES:


- 1. SUBSTRATE: Fused Silica
- 2. COATING (APPLY ACROSS COATING APERTURE)


S1: NONE

S2: NONE

3. FINE GRIND SURFACE

- 4. POWER, IRREGULARITY, AND SURFACE QUALITY SPECIFICATIONS APPLY ACROSS CLEAR APERTURE
- 5. ROHS: COMPLIANT





## FOR INFORMATION ONLY: DO NOT MANUFACTURE PARTS TO THIS DRAWING

	\$1	\$2		
SHAPE	CONCAVE	PLANO		
RADIUS	150.00	INFINITY		
SURFACE QUALITY	20-10	N/A		
CLEAR APERTURE	Ø22.86	N/A		
COATING APERTURE	N/A	N/A		
POWER AT 632.8nm	2 RINGS	N/A		
IRREGULARITY AT 632.8nm	0.10 WAVE	N/A		
BEVEL	PROTECTIVE AS NEEDED	PROTECTIVE AS NEEDED		

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

8	<b>Edmund Optics</b> ®
	05 Anna Dia - 75 551 Haranda

_					
	THIRD ANGLE _ PROJECTION	$\bigoplus$	TITLE	25.4mm Dia. x 75mm EFL, Uncoated Concave Laser Mirror	d,
	ALL DIMS IN	mm	DWG NO	39975	SHEET 1 OF 1