NOTES:

1. SUBSTRATE:

HOYA GLASS: ND-0.3

2. SURFACE S2 TO BE PARALLEL WITH SURFACE S1 TO WITHIN < 0.02mm

FOR INFORMATION ONLY: DO NOT MANUFACTURE PARTS TO THIS DRAWING





4. COATING SPECIFICATION: S1 & S2:R(AVG) ≤0.4% @ 425 - 675nm


5. OPTICAL DENSITY: 1.5 +/-0.1 @400-700nm

6. TRANSMISSION (%): 3.2% AVERAGE FROM 400-700nm

7. ROHS COMPLIANT







SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

Edmund Optics ®

	S1	S2	THIRD ANGLE PROJECTION		TITLE	1.5 OD, 50mm DIA., VIS 0° COATED, ABSORPTIVE ND FILTER	
SHAPE	PLANO	PLANO					
SURFACE QUALITY	80-50	80-50		1		7.200	- OLIFET
BEVEL	PROTECTIVE AS NEEDED	PROTECTIVE AS NEEDED	ALL DIMS IN	mm	DWG NO	13123	SHEET 1 OF 1