



NOTES:



- 1. SUBSTRATE:
Fused Silica (or equivalent)
- 2. CENTERING TOLERANCE (AT 587.6nm): <1 ARCMIN
- 3. COATING (APPLY ACROSS CLEAR APERTURE)

S1&S2: NONE
- 4. FINE GRIND SURFACE (ADD INK NOTE AS NEEDED)
- 5. FOCAL LENGTH (EFL): 50mm
BACK FOCAL LENGTH (BFL): 48.81mm
- 6. ROHS COMPLIANT
- 7. PROTECTIVE BEVEL AS NEEDED
- 8. POWER, IRREGULARITY, AND SURFACE QUALITY
SPECIFICATIONS APPLY ACROSS CLEAR APERTURE
- 9. DESIGN WAVELENGTH: 587.6nm



FOR INFORMATION ONLY:
DO NOT MANUFACTURE
PARTS TO THIS DRAWING

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE
DIMENSIONS ARE FOR REFERENCE ONLY

	S1	S2	 Edmund Optics®			
SHAPE	PLANO	PLANO				
RADIUS	125.00	27.92				
SURFACE QUALITY	10-5	10-5	TITLE			
CLEAR APERTURE	Ø 11.25	Ø 11.25				
BEVEL	PROTECTED AS NEEDED	PROTECTED AS NEEDED	ALL DIMS IN	mm	DWG NO	22566
					SHEET 4 OF 8	