




- NOTES:
- 1. SUBSTRATE: Fused Silica (Corning 7980)
 - 2. RoHS COMPLIANT
 - 3. SURFACE S2 TO BE PARALLEL WITH SURFACE S 1 TO WITHIN ACRMINS
 - 4. Coating (Apply Across Clear Aperture):
S1 & S2: Ravg ≤1.75% @ 400 - 700nm

5. FINE GROUND SURFACE



**FOR INFORMATION ONLY:
DO NOT MANUFACTURE
PARTS TO THIS DRAWING**

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE
DIMENSIONS ARE FOR REFERENCE ONLY

	S1	S2	<div><div><div><div><div></div><div></div></div><div>Edmund Optics®</div></div></div></div>				
Shape	Plano	Plano	<div><div>THIRD ANGLE PROJECTION</div><div></div></div>	TITLE	25.4mm Dia. 1mm Thick MgF2 Coated, 1λ Fused Silica Window		
Surface Accuracy	1λ	1λ		DWG NO	25319	SHEET 76 OF 101	
Surface Quality	60-40	60-40					
Clear Aperture	22.86	22.86					
Bevel	Protected as Needed	Protected as Needed	ALL DIMS IN	mm			